

# TRILOCKS (REVERSIBLE) STEEL



Unilateral Tolerance  
GO - Plus Tolerance  
NO GO - Minus Tolerance  
CHROME PLATED - ADD 30%

XXX add 100% to XX prices up to 1.510" only.

SIZE — RANGE	CLASS	TOLERANCE INCHES	STANDARD GO MEMBER ONLY IN QUANTITIES OF			STANDARD NOGO MEMBER ONLY IN QUANTITIES OF				HANDLE		
			LENGTH	1	2-4	5-10	LENGTH	1	2-4	5-10	NO	PRICE
.760 in. to .947 in. 19.30 mm to 24.05 mm	XX	.00003	1½ in. 31.8 mm	47.00	44.00	42.00	¾ in. 19.1 mm	42.00	40.00	38.00	2½	13.00
	X	.00006		39.00	37.00	35.00		36.00	34.00	30.00		
	Y	.00009		31.00	29.00	29.00		28.00	26.00	25.00		
	Z	.00012		25.00	23.00	22.00		23.00	21.00	20.00		
.9471 in. to 1.135 in. 24.05 mm to 28.83 mm	XX	.00003	1½ in. 34.9 mm	48.00	44.00	43.00	¾ in. 19.1 mm	44.00	42.00	40.00	3½	13.00
	X	.00006		41.00	38.00	37.00		37.00	35.00	31.00		
	Y	.00009		34.00	30.00	29.00		29.00	27.00	26.00		
	Z	.00012		27.00	25.00	24.00		25.00	23.00	22.00		
1.1351 in. to 1.510 in. 28.83 mm to 38.35 mm	XX	.00003	1½ in. 38.1 mm	52.00	49.00	47.00	¾ in. 19.1 mm	47.00	44.00	42.00	4½	14.00
	X	.00006		45.00	42.00	40.00		40.00	38.00	36.00		
	Y	.00009		37.00	35.00	31.00		31.00	29.00	29.00		
	Z	.00012		28.00	26.00	25.00		26.00	24.00	23.00		
1.5101 in. to 2.010 in. 38.25 mm to 51.05 mm	XX	.00004	1½ in. 47.6 mm	79.00	73.00	69.00	¾ in. 22.2 mm	69.00	65.00	61.00	5½	16.00
	X	.00008		64.00	61.00	58.00		54.00	50.00	48.00		
	Y	.00012		57.00	52.00	49.00		47.00	44.00	42.00		
	Z	.00016		44.00	42.00	40.00		40.00	38.00	36.00		
2.0101 in. to 2.510 in. 51.05 mm to 63.75 mm	XX	.00004	2 in. 50.8 mm	97.00	91.00	87.00	¾ in. 22.2 mm	88.00	84.00	80.00	6	17.00
	X	.00008		80.00	75.00	70.00		70.00	66.00	63.00		
	Y	.00012		68.00	64.00	61.00		59.00	56.00	51.00		
	Z	.00016		57.00	52.00	49.00		48.00	45.00	43.00		
2.5101 in. to 3.010 in. 63.75 mm to 76.45 mm	XX	.00005	2 in. 50.8 mm	113.00	107.00	102.00	1 in. 25.4 mm	98.00	92.00	88.00	7	18.00
	X	.00010		94.00	89.00	85.00		79.00	73.00	69.00		
	Y	.00015		81.00	76.00	71.00		68.00	64.00	61.00		
	Z	.00020		65.00	62.00	59.00		58.00	54.00	50.00		
3.0101 in. to 3.510 in. 76.45 mm to 89.15 mm	XX	.00005	2 in. 50.8 mm	135.00	128.00	122.00	1 in. 25.4 mm	114.00	108.00	103.00	7	18.00
	X	.00010		101.00	94.00	89.00		92.00	87.00	83.00		
	Y	.00015		92.00	87.00	83.00		80.00	75.00	70.00		
	Z	.00020		78.00	72.00	69.00		66.00	63.00	60.00		
3.5101 in. to 4.010 in. 89.15 mm to 101.85 mm	XX	.00005	2 in. 54.0 mm	159.00	150.00	142.00	1 in. 25.4 mm	132.00	126.00	119.00	7	18.00
	X	.00010		130.00	129.00	117.00		106.00	101.00	94.00		
	Y	.00015		108.00	103.00	97.00		93.00	88.00	84.00		
	Z	.00020		90.00	85.00	81.00		80.00	75.00	70.00		
4.0101 in. to 4.510 in. 101.85 mm to 114.55 mm	XX	.00005	2 in. 54.0 mm	182.00	172.00	163.00	1 in. 25.4 mm	149.00	142.00	133.00	7	18.00
	X	.00010		146.00	138.00	130.00		120.00	113.00	108.00		
	Y	.00015		124.00	117.00	110.00		107.00	102.00	96.00		
	Z	.00020		103.00	97.00	91.00		87.00	83.00	79.00		
4.5101 in. to 5.010 in. 114.55 mm to 127.25 mm	XX	.000065	2 in. 54.0 mm	210.00	198.00	189.00	1 in. 25.4 mm	168.00	159.00	150.00	7	18.00
	X	.00013		161.00	152.00	145.00		142.00	134.00	128.00		
	Y	.00019		145.00	136.00	129.00		128.00	122.00	114.00		
	Z	.00025		130.00	124.00	117.00		118.00	111.00	106.00		
5.0101 in. to 5.510 in. 127.25 mm to 139.95 mm	XX	.000065	2 in. 54.0 mm	228.00	216.00	205.00	1 in. 25.4 mm	194.00	184.00	174.00	7	18.00
	X	.00013		181.00	171.00	162.00		157.00	149.00	141.00		
	Y	.00019		162.00	153.00	146.00		145.00	136.00	129.00		
	Z	.00025		146.00	138.00	130.00		130.00	124.00	117.00		
5.5101 in. to 6.010 in. 139.95 mm to 152.65 mm	XX	.000065	2 in. 54.0 mm	246.00	233.00	220.00	1 in. 25.4 mm	208.00	197.00	188.00	7	18.00
	X	.00013		198.00	189.00	178.00		182.00	172.00	163.00		
	Y	.00019		182.00	172.00	163.00		169.00	160.00	151.00		
	Z	.00025		163.00	154.00	147.00		145.00	136.00	129.00		
6.0101 in. to 6.510 in. 152.65 mm to 165.35 mm	XX	.000065	2 in. 54.0 mm	265.00	251.00	238.00	1 in. 25.4 mm	226.00	214.00	203.00	7	18.00
	X	.00013		216.00	205.00	194.00		196.00	186.00	176.00		
	Y	.00019		199.00	189.00	178.00		183.00	173.00	164.00		
	Z	.00025		180.00	170.00	161.00		156.00	149.00	141.00		
6.5101 in. to 7.010 in. 165.35 mm to 178.05 mm	XX	.00008	2 in. 54.0 mm	290.00	274.00	260.00	1 in. 25.4 mm	236.00	224.00	212.00	7	18.00
	X	.00016		236.00	227.00	212.00		212.00	201.00	190.00		
	Y	.00024		219.00	208.00	197.00		199.00	189.00	178.00		
	Z	.00032		198.00	189.00	178.00		181.00	171.00	162.00		
7.0101 in. to 7.510 in. 178.05 mm to 190.75 mm	XX	.00008	2 in. 54.0 mm	342.00	324.00	308.00	1 in. 25.4 mm	261.00	248.00	235.00	7	18.00
	X	.00016		279.00	266.00	250.00		241.00	229.00	217.00		
	Y	.00024		264.00	250.00	237.00		230.00	218.00	207.00		
	Z	.00032		248.00	235.00	223.00		208.00	197.00	188.00		
7.5101 in. to 8.010 in. 190.75 mm to 203.45 mm	XX	.00008	2 in. 54.0 mm	352.00	334.00	316.00	1 in. 25.4 mm	298.00	282.00	268.00	7	18.00
	X	.00016		302.00	287.00	271.00		278.00	264.00	249.00		
	Y	.00024		293.00	278.00	264.00		266.00	251.00	238.00		
	Z	.00032		264.00	250.00	237.00		233.00	220.00	208.00		